Inside this issue:

- Cutting Tools
- Abrasives
- Measuring Tools
- Hand & Power
 Tools
- Chemicals & Fluids
- Plant & Safety
- Tool Storage
- Workholding
- Machines In Stock

Quality Eutting Tools, Inc.

ONLINE SHOPPING NOW AVAILABLE VISIT OUR WEBSITE

Saskatoon: (306) 664-8410 Edmonton: (780) 414-0423 www.qualitycuttingtools.ca

End of Summer Flyer





Kennametal Select Grades

Inserts you want at the price you will love. Outperform competitive inserts in steel, stainless steel, cast iron, and high-temperature alloy machining. Use them in 80% of all applications!





• Simple Grade Selection

Great Price

• Change the Workpiece Material, Not the Insert

One Insert for Multiple Materials

Small - Mid-Size Turning Job

Buy 10 Roughing Inserts Get 5 Finishing Inserts FREE

TNMG432R K25P TNMG432F K25P	\$12.60/each	\$126.00/10 inserts 5 inserts FREE
DNMG432R K25P DNMG432F K25P	\$12.67/each	\$126.70/10 inserts 5 inserts FREE
CNMG432R K25P CNMG432F K25P	\$10.69/each	\$106.90/10 inserts 5 inserts FREE

Wide Insert Selection Available



ToolBOSS®

High-Capacity Secure Solutions

Control has never been so versatile!





- 113 secure locations
- · 24/7 stock availability
- Unique reconfigurability
- Unique override system
- Built-in diagnostic port
- Accountability
- Reduced cost per location

The 28 LEVEL cabinet provides higher capacity within the same footprint as the current 20 LEVEL ToolBOSS cabinet. Incorporating many unique features, the 28 LEVEL ToolBOSS cabinet is the latest development in secure inventory management from Kennametal.











DISTRIBUTED BY:



General Information About ToolBOSS Solutions:

- There is no repacking required when using a ToolBOSS secure vending solution
- ToolBOSS products do not "DROP" the product being vended
- Medium and high security systems are available
- All ToolBOSS equipment use ToolBOSS Inventory Manager Software
- ToolBOSS hardware is manufactured (75%) in the USA
- ToolBOSS software is engineered in the USA







HARVI™ Line Solid Carbide End Mills

Primary Application

HARVI takes high-performance roughing, semi-finishing, slotting, and profiling to the next level. The line is designed to provide maximum metal removal rates by achieving supreme surface conditions. A wide range of diameters and corner radii are available from stock.

Features and Benefits

Higher Productivity and Profitability

- Best suited for applications in the aerospace, medical, die and mold, automotive, and general engineering markets.
- Outstanding performance in stainless steel, titanium, INCONEL®, and other high-temperature alloys and steels.
- · Increased metal removal rates in roughing and finishing operations.
- Excellent performance in both slotting and side milling operations.

Featured Application: Slotting an Engine Ring

Operation: Slotting

Customer: Aerospace manufacturer

Workpiece: Engine ring

Material: SST nickel-based alloy EZ3NCT25 (25% nickel, 13% chromium) at 245 HB


Solution: HARVI II" 5-flute in KCPM15 (AlTiN coating)

Results: 90% increase in metal removal rate

HPHV375S4088 KCPM15		
3/8"	\$35.20	
HPHV500S4100 KCPM15		
1/2"	\$58.05	
HPHV750S4150 KCPM15		
3/4"	\$156.40	



	COMPETITOR	HARVI II™
coating:	TIAIN	AITIN
end mill:	4-flute .472"	5-flute .472"
	.04" radius	.04" radius
material:	SST nickel-based alloy	SST nickel-based alloy
depth of cut (ap):	.44"	.44"
width of cut (ae):	.472"	.472"
speed (vc):	100 SFM	132 SFM
RPM (N):	800 RPM	1,060 RPM
feed rate (vf):	4.41 IPM	8.3 IPM
chip load per tooth (fz):	0.0014 IPT	0.0016 IPT
metal removal rate:	0.91 in ³ /min	1.73 in³/min





TUNGBORE KIT #1

Includes:

4 Tool Holders & 10 Inserts TUDXGUO70308LTS AH725

- 3/8" TUAGS SDXX R2 D10
 - 1/2" THACK SDX X R2 D11
- 5/8" TUA10SDXXRZ D14
- 34" TUA12 SDX X R2 D16

\$712.90

Key Features:

Universal insert that fits in all 4 boring bars (All other require you to stock 2 different types of inserts).

Double sided insert means twice the cutting edges (All other screwon inserts are single sided).



ABRASIVES

POLIFAN SGP ZIRKIN STRONG

- -Fastest possible stock removal rates
- Extraordinary stability previously only found on grinding wheels.
- -Extended flap length allows for continued High quality solutions in abrasives
- -Extremely long tool life

-Highly cost effective due to reduction in (

grinding times.

-Abrasive: Zirconia Alumina Z







Item	Size	Part#	Price
Cut-Off Disc 4	4"x1/16" x 7/8	187170	\$1.66
Cut-Off Disc 5	5"x1/16" x 7/8	187171	\$1.98
Cut-Off Disc 7	7"x1/16" x 7/8	221161	\$3.14

7" 40Grit Flap Discs 224481 \$7.99

POLIFAN SGP CURVE

-Tough and aggressive -removes scale and bead from all metals: steel, stainless steel, aluminum and alloys

- Works faster than grinding wheels without the risk of undercutting the workpiece
- -Precise grinding out of fillet welds provides a superior surface finish
- -Smooth finish allows easy visual inspection for defects
- -Ideal for repair applications to remove defects without damage





Hand & Power Tools

Angle **Grinders** **Socket Sets**

starting at \$18.05

Starting at \$52.95

Screwdriver Sets

Starting at \$6.20

MATERIAL HANDLING







Chemicals & Fluids



Cleaning Lubricants \$7.60



VIEW PRICES & MORE ON OUR WEBSITE **MOST ITEMS NEXT DAY DELIVERY!**





brown & sharpe





on SAL \$34.70 for

ABSORBANTS BROOMS

PLANT & SAFETY







- **EXTENSION CORDS**
- **FANS & HEATERS**
- **LADDERS**
- **FLASHLIGHTS**
- **BATTERIES**





HEAD & FACE PROTECTION







VIEW PRICES & OPTIONS ON OUR WEBSITE







- **EYEWASH**
- **FIRST AID**
 - HAND **CLEANERS**
- **RESPIRATORS**
- **SIGNS**



GAN 40-1-281 ECU-L \$6.35/PAIR



GAN 20-1-145-M \$5.75/PAIR



\$5.69/PAIR

BIRCO

Fatigue in the workplace is responsible for thousands of dollars in absenteeism and lost production efficiency. Case Studies have proven that quality workplace anti-fatigue flooring reduces those costs. BIRCO uses natural and synthetic rubber, the same kind used in the production of automotive tires, in its compounds. And, because we do our own compounding, we add odor mask to eliminate the "rubber" smell caused by the sulfur cure, leaving the final product with a light powder odor.



3' x 5' x 5/8 Antifatigue Matt

\$124.75

Workholding

While Quantities Last

BORING HEADS—50% OFF

F213A– Boring Head Kit Complete With Bars & CAT40 Shank MT#3

-was \$1,184.00 NOW \$592.00

CARBIDE BURRS

7/16, 5/8, 1/4, 1/2 & 3/8 IN STOCK

Prices Start at \$9.95





MORSE TAPER SLEEVES

B5-4	\$17.34
B4-3	\$12.80
B3-2	\$11.34
B2-I	\$10.54



TOOLPOSTS & HOLDERS

CXA-2511-7250 7piece \$637.50

HD22 TOOLPOST base block w/ t-slots \$1250.00

TOOLPOST ALORIS DA SET #5 w/ 6 holders \$1500.00

QUICK CHANGE TOOLPOSTS & HOLDERS

B2 \$548.23 C3 \$1098.37 D1 \$1471.80

Multi-Fix





ACCU-LOCK PRECISION MACHINE VISE

6" VISE \$309.00 QM16161/160MM

8" VISE \$325.00 QM16200/200MM



Live Center HD434 med duty 6 Point MT4\$65.00



Punch & Die Sets

- CHUCKS
- ARBORS
- TOOL POSTS
- SLEEVES
- VISE'S
- ANGLE PLATES



DRILLING MACHINE VISES

Q19100-100mm \$14.40 Q19125-125mm \$19.20 17623-17 4.25" table \$30.51



DR06228 \$69.00
CLARKSON DRILL SET



ANGLE GRINDERS

WSG 14-125 5" GRINDER \$210.14
WSG 14-125T 5" -1 | Tip Start GRINDER \$302.00

SIDE GRINDERS

WSG 20-180 7" GRINDER 2000watts \$375.00



Little Giant Submersible Pump

NX50PEI \$61.65



RX61SIN263RDF \$114.55



3 Shelf Multi- Purpose Cart SA7021060 \$78.30



Mitutoyo 135pc Tool Set



DeWALT cordless Drill/Driver Kit PD20DCD940KX \$356.95



Mitutoyo Adjustable Wrench Set KP852291 \$23.70





DeWALT 14"
Abrasive Chop Saw
PD20D28710
\$237.65



SALE



CL-58B with 10" Bore FEL36120NC \$218,500.00

36x120"
Max Swing 35"
Max Cutting Dia 20.4"
Distance Betw Centers 120"
Max cutting length 120"
Spindle Nose A2-15
Spindle Bore 10"
Spindle motor 30HP
Tailstock Spindle Center
MT5
FOB EDMONTON, AB (1)

CNC LATHES



SL35MC/1500

26.80"x60.20" / 12" Chuck / 25-30HP / 2500RPM / 10 Tools MT #4 / 46kVA / 220V,60Hz, 3 phase / CNC Fanuc 0iTD

REDUCED \$185,000.00



CL-38C with 7.1" Bore FCH2680NC

\$169,000.00

Maximum Swing 26"
Max Swing Over Cross Slide
14.6"

Max Cutting Diameter 23.6"
Width of Bed 18.1"

Distance between Face & Spindle Centers 84.6" Spindle Horsepower 30HP

FOB SASKATOON, SK (1)

GRINDERS

- High Performance 2 speed
- High Operational & Equipment Safety
- High Power Motor
- Great Work Reliability



440V 440V 1.5 & 2kW 2.6-3.1kW

2.6/3.5 Amp

1800/3600RPM 1800/3600RPM

6.5ft Power Cord

145lbs 180lbs

FOB SASKATOON, SK (I of ea)

GX752H 3"x79" 2 Speed


Belt Grinder

\$3105.00

\$4735.00

GII502H 6"x79" 2 Speed Belt Grinder, 440V

(Jein)



ATEL16 17x67G

17"x67" Lathe

\$19,910.00

FOB Saskatoon, SK (I)



CW6280x3000

\$30,000.00

32"x120" / DI-II

18 Spindle Speeds / MT6

80" between Centers

4" Spindle Bore / I5HP

Includes: 3 & 4 Jaw Chucks, Face

Plate, Steady Rest & MOREcall

for more details.

FOB Saskatoon, SK (2)

LATHES



ATEL2290G

22"x90" Lathe

\$34,000.00

FOB Saskatoon, SK (I)

FOB Edmonton, AB (1)

ATEL2260G

22"x60" Lathe

\$27,900.00

FOB Saskatoon, SK (I)





SET3280

32"x80"

6" Spindle Bore

\$59,850.00

FOB Edmonton, AB (I)



CDS6232/750

\$7500.00

13"x30" Lathe

-Quick Change Tool Post

-Coolant System

-8"3 Jaw Chuck

-Work Light

-Steady Rest

FOB Saskatoon, SK (I)



LCM-42 \$8200FOB Saskatoon, SK (3)

Table Working Surface: 9" x 42"

T-Slots Number and Size: 3 slot, 5/8"

Travels (X,Y,Z): 30" x 12" x 5"

Spindle Motor: 3 HP

Spindle Nose Taper: R-8

Head Swivel: 360°

Head Tilt (Lt Rt): 45°

Head Tilt (Up Down): 45°

Weights: 2,400 lbs.

LCV-2414 (armless 16T) \$49,900.00

FOB Edmonton, AB (I)

Standard Equipment:

CNC Control Fanuc Oi-Mate,

Spindle, Automatic Tool

Changer, Coolant System, Ma-

chine Construction, Hardened&

Ground Box Ways on all axes,

Rigid Tapping, Auto-Lubrication


System, Work Lamp, Tool Kit,



Machine Travels: X=24" / Y=14" /

Z=18"

Work Table: 27.6×13.78"







C-420NC

Capacity: 16.5" 7.5HP

Height of Workspace: 27.5"

\$42,750.00 FOB AB



MH-812LC

Capacity: 8" **IHP**

Table height: 24.8"

\$3,240.00 FOB SK





MH-270M

Saw Speed: 40,80mpm I.HP Manual

\$3,240.00 FOB SK/AB



C-320NC

Capacity: 12.6" 5HP

Height of Work Table: 31"

\$34,140.00 FOB SK



Z5032A 19.6"x16.5" \$4950.00 **FOB SK/AB**



C-260NC

Capacity: 10.2" 5HP

Height of Workspace: 25.6"

\$31,500.00 FOB AB



MH-500M

Maximum Capacity: 8.7" Saw Blade: 36m/min 3HP

\$9,750.00 FOB SK

Z5035

\$7150.00

FOB SK





Snap Trac Overhead Grane Kits

NEW DISTRIBUTOR FOR:



- (I) ST1200 SnapTrac 12' monorail system
- (2) ST1200E Snap Trac 12' monorail system w/power bar
- (I) STP12 Snap Trac 12' posts— with 10' trolley saddle

System Rails are available in two different sizes: 8' and 12'.

\$3325.00USD FOB OH



